



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,537	04/14/2004	Hsien-Yueh Hsu	4443-0111PUS1	4436
2292	7590	07/25/2006	EXAMINER	
BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747			TRAN, VINCENT HUY	
			ART UNIT	PAPER NUMBER
			2115	

DATE MAILED: 07/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/823,537	Applicant(s) HSU, HSIEN-YUEH	
	Examiner Vincent T. Tran	Art Unit 2115	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 April 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office Action is responsive to the communication filed on 4/14/04.
2. Claims 1-13 are pending for examination.

Priority

3. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 10-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Iwazaki U.S.

Patent No.

6. As per claim 10, Iwazaki teaches a method for adjusting the system performance of a computer, for monitoring the actual data flow rates of devices fabricated on a motherboard and adjusting the operating rates of said devices, said method comprising the steps of:

(1) executing a program to make one selected said device be in an operating state
[inherent];

(2) measuring a flow rate of data of said selected device in said operating state [col. 6 lines 53-59];

(3) defining a predetermined flow rate of said selected device according to said flow rate of data measured in said step (2) to indicate said selected device is in a busy state [NUM1, NUM2 - From col. 6 line 59 to col. 7 line 13];

repeating said steps (1).about.(3) to define the predetermined flow rates of said devices fabricated on said motherboard [col. 7 lines 9-13];

measuring actual data flow rates of said devices on said motherboard; when said actual data flow rate of one said device exceeds said predetermined flow rate thereof, promoting an operating rate of said device [fig. 3] ; and

when said actual data flow rate of said device is less than said predetermined flow rate thereof, reducing the operating rate of said device [fig. 3; col. 7 lines 25-31].

7. As per claim 11, Iwazaki teaches said flow rate of data is the number of times of accessing data passing through said device per unit time [2C, 2E fig. 2].

8. As per claim 12, Iwazaki teaches said flow rate of data is the number of times of transferring commands through said device per unit time [2D fig. 2].

9. As per claim 13, Iwazaki inherently teaches devices connected to said performance control chip comprise a CPU [2 fig. 5], a north bridge chip, a south bridge chip, an AGP slot, PCI slots and a motherboard power supply.

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

12. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

13. Claims 1-5, 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Iwazaki U.S. Patent No. 6,073,244.

14. As per claim 1, Iwazaki teaches an apparatus for adjusting the system performance of a computer, fabricated on a motherboard, said apparatus comprising:

a performance monitor means [44 fig. 5], connected respectively to a bus line [5 fig. 5] which are connected with devices [2, 31, 34 fig. 5] mounted on said motherboard, for monitoring the operating state of each said device according to the flow rate of data transferred in said bus lines[S401 fig. 3; col. 6 lines 34-37, 53-59]; and

a performance control chip [41 fig. 5], connected separately to said devices, for adjusting the operating rate of said devices responsive to said performance monitor means, said performance control chip being capable of ascertaining the operating state of each said device is busy or not, so as to increasing or decreasing the operating rate of said device [From col. 6 line 59 to col. 7 line 13; col. 7 lines 25-31; col. 8 lines 52-65].

In conclusion, Iwazaki only teaches a generic method for dynamically supplying clock signals to the processing unit and the peripheral devices in response to the flow rate of data transferred in a bus line.

Although not explicitly taught in Iwazaki, the used of a plurality of performance monitor means to connect respectively to different part of the system is an old and well know technique in the art. The examiner takes official notice that these are merely a conventional method/design-consideration for monitor system performance/operating-state which is commonplace in hardware design. One of ordinary skill in the art would be motivated to modified the system of Iwazaki with the multiple monitor means since not all devices in a computer system would be connecting to one bus line. Therefore, it is obvious to one of ordinary skill in the art to utilize separate monitor means on different bus lines to monitor the operating state of each device which connected thereto.

15. As per claim 2, Iwazaki does not teach the bus lines comprise: a PCI bus line, connected between a south bridge chip and a PCI slot; an AGP bus line, connected between a north bridge chip and an AGP slot; a RAM bus line, connected between said north bridge chip and a RAM device; and a CPU bus line, connected between a CPU and said north bridge chip. However, it

Art Unit: 2115

is obvious to one of ordinary skill in the art that the generic bus line of Iwazaki encompasses the specific claimed bus lines since the special bus lines do not alter the performance of Iwazaki system.

16. As per claim 3, Iwazaki inherently teaches devices connected to said performance control chip comprise a CPU [2 fig. 5], a north bridge chip, a south bridge chip, an AGP slot, PCI slots and a motherboard power supply.

17. As per claim 4, Iwazaki inherently teaches performance monitor means comprises a counter, for measuring the number of times of transferring commands or accessing data through one selected said bus line per unit time [col. 6 lines 53-65].

18. As per claim 5, Iwazaki inherently teaches performance control chip comprises: a register, for storing predetermined flow rates of said devices; a comparator, for comparing actual flow rates provided by said performance monitor means with said predetermined flow rates stored in said register, when said actual flow rate of one selected said device exceeds said predetermined flow rate thereof, said device is ascertained to be busy [col. 6 lines 53-65].

19. As per claim 7, Iwazaki teaches an apparatus for adjusting the system performance of a computer, fabricated on a motherboard, said apparatus comprising:

Art Unit: 2115

a counters [inherent], coupled respectively to the corresponding one of bus lines which are connected with devices, for measuring the flow rate of data transferred in each said bus line per unit time [fig. 2A-2F; col. 6 lines 53-59]; and

a performance control chip [43 fig. 7], connected separately to said devices, being capable of ascertaining each said device is busy or not, so as to increasing or decreasing the operating rate of said device [col. 7 lines 25-31], said performance control chip comprising

a register [inherent], for storing predetermined flow rates [NUM1, NUM2 fig. 3] of said devices;

a comparator [inherent], for comparing actual flow rates measured by said counter with said predetermined flow rate stored in said register [S402, S404 fig. 3], when said actual flow rate of one said device exceeds said predetermined flow rate thereof, said device is ascertained to be busy [abs].

Iwazaki does not teach a plurality of counters [measuring circuit] in which each is coupled to a different bus lines. Iwazaki merely teaches a generic system comprising a counter coupled to a specific bus line to measure the flow rate thereto. The examiner takes official notice that these are merely a conventional method/design-consideration for monitoring different part of a system for performance/operating-state which is commonplace in hardware design. One of ordinary skill in the art would be motivated to modified the system of Iwazaki with the multiple counters since not all devices in a computer system would be connecting to one bus line. Therefore, it is obvious to one of ordinary skill in the art to utilize separate counter on different bus lines to monitor the operating state of each device which connected thereto.

20. As per claim 8 and 9, see discussion in claim 2 and 3.

21. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Iwazaki as applied to claim 1 above, and further in view of O'Brien U.S. Patent No. 5,596,756.

22. As per claim 6, Iwazaki does not teach the performance control chip is connected to a motherboard power supply on said motherboard and is capable of controlling said operating rate of each said device by adjusting the power supplied thereto.

O'Brien teaches another computer system comprising a activity monitor connected directly to various control bus lines associated with the microprocessor and peripheral devices wherein, depending upon the detected activities, the performance control chip [202 fig. 1] responsively power down selected circuit portions, reduce the frequencies of selected clock signal [col. 1 lines 45-56]. Specifically, O'Brien teaches the performance control chip is connected to a motherboard power supply [262 fig. 1] on said motherboard and is capable of controlling said operating rate of each said device by adjusting the power supplied thereto [col. 6 lines 40-46; col. 7 lines 8-12].

At time of the invention was made, it would have been obvious to one of ordinary skill in the art to have modified the system of Iwazaki with the adjusting of the power supplied to control the operating rate of each device of O'Brien in order to further conserve power.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vincent T. Tran whose telephone number is (571) 272-7210. The examiner can normally be reached on 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas c. Lee can be reached on (571) 272-3667. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Vincent Tran.


THOMAS LEE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100